



**MADERA UNIFIED
SCHOOL DISTRICT**
1902 Howard Road
Madera CA 93637
(559) 675-4500
(559) 675-1186 Fax
www.madera.k12.ca.us

Board of Trustees:

President:

Ed McIntyre

Clerk:

Lucy Salazar

Trustees:

Nadeem Ahmad

Isreal Cortez

Joetta Fleck

Ruben Mendoza

Lucy Salazar

Ray G. Seibert

SUPERINTENDENT:

Todd Lile

January 25, 2022

**Addendum No.1 Bid No.010522-Thomas Jefferson MS HVAC
Project**

NOTICE TO ALL VENDORS:

This Addendum is attached to and made a part of the above-entitled specifications for Madera Unified School

District for **Bid No. 010522-Thomas Jefferson MS HVAC Project**

with a due date of February 29, 2022 @ 10:01 am

All changes and/or clarifications will appear in bold type and deletions will be struck out within a sentence.

Questions/Clarifications:

Updated Bid Turn In-Due date of February 9, 2022 @ 10:01 am.

Work added to Project

See attached for specifications

Signature _____

Date _____

Attachment to Addendum No.1

Remove and dispose of 6 sets (12 doors total) of double exterior doors. Procure and install 6 sets of new replacement doors, utilizing the existing door frames.

See attached specifications (Or Equal) and door locations from Childs & Co., Inc. Dave Harrison 559-485-0520

If utilizing an or "equal" product, you must submit the specifications for approval, no later than February 4, 2022 @ 10:00 am.

Thomas Jefferson "South West"

- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive
- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive

- (2) Hollow Metal Doors
- (2) CHS 83 HDI x 1/2 surface cont hinges
- (6) 3-4.5 hinge fillers x FF-45 x primed
- (1) AX XP 99NL x 990NL x CD x 626
- (1) AX XP 99EO x 990NL x CD x 626
- (1) LFIC Rim x 626 / (3) LFIC Mortise x 626-"C" Keyway
- (1) KR4954 x 7'6" x blank mullions
- (1) 154 x stabilizers
- (2) PR 7500 x 689
- 2) 10" x 35" x 32D - stainless steel kickplates
- (2) 18100 CNB x 36" x brush sweeps
- (2) 18061 CNB x 83" x brush meeting astragals
- (1) S88-20D - frames seal
- (1) 1/4" x 6" x 1/4" x 72" – Threshold

(see attached product sheets)

- (2) 307 AV x 36" x brush sweeps
- (2) 303AV x 83" x brush meeting astragals

Thomas Jefferson "South East"

- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive
- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive

- (2) Hollow Metal Doors
- (2) CHS 83 HDI x 1/2 surface cont hinges
- (6) 3-4.5 hinge fillers x FF-45 x primed
- (1) AX XP 99NL x 990NL x CD x 626
- (1) AX XP 99EO x 990NL x CD x 626
- (1) LFIC Rim x 626 / (3) LFIC Mortise x 626-"C" Keyway
- (1) KR4954 x 7'6" x blank mullions
- (1) 154 x stabilizers
- (2) PR 7500 x 689
- 2) 10" x 35" x 32D - stainless steel kickplates
- (2) 18100 CNB x 36" x brush sweeps
- (2) 18061 CNB x 83" x brush meeting astragals
- (1) S88-20D - frames seal
- (1) 1/4" x 6" x 1/4" x 72" – Threshold

(see attached product sheets)

- (2) 307 AV x 36" x brush sweeps
- (2) 303AV x 83" x brush meeting astragals

Attachment to Addendum No.1

Thomas Jefferson "North West"

- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive
- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive

- (2) Hollow Metal Doors
- (2) CHS 83 HDI x 1/2 surface cont hinges
- (6) 3-4.5 hinge fillers x FF-45 x primed
- (1) AX XP 99NL x 990NL x CD x 626
- (1) AX XP 99EO x 990NL x CD x 626
- (1) LFIC Rim x 626 / (3) LFIC Mortise x 626-"C" Keyway
- (1) KR4954 x 7'6" x blank mullions
- (1) 154 x stabilizers
- (2) PR 7500 x 689
- 2) 10" x 35" x 32D - stainless steel kickplates
- (2) 18100 CNB x 36" x brush sweeps
- (2) 18061 CNB x 83" x brush meeting astragals
- (1) S88-20D - frames seal
- (1) 1/4" x 6" x 1/4" x 72" – Threshold

(see attached product sheets)

- (2) 307 AV x 36" x brush sweeps
- (2) 303AV x 83" x brush meeting astragals

Attachment to Addendum No.1

Thomas Jefferson "North East"

- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive
- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive

- (2) Hollow Metal Doors
- (2) CHS 83 HDI x 1/2 surface cont hinges
- (6) 3-4.5 hinge fillers x FF-45 x primed
- (1) AX XP 99NL x 990NL x CD x 626
- (1) AX XP 99EO x 990NL x CD x 626
- (1) LFIC Rim x 626 / (3) LFIC Mortise x 626-"C" Keyway
- (1) KR4954 x 7'6" x blank mullions
- (1) 154 x stabilizers
- (2) PR 7500 x 689
- 2) 10" x 35" x 32D - stainless steel kickplates
- (2) 18100 CNB x 36" x brush sweeps
- (2) 18061 CNB x 83" x brush meeting astragals
- (1) S88-20D - frames seal
- (1) 1/4" x 6" x 1/4" x 72" – Threshold

(see attached product sheets)

- (2) 307 AV x 36" x brush sweeps
- (2) 303AV x 83" x brush meeting astragals

Attachment to Addendum No.1

Thomas Jefferson-Snack Bar

- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive
- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive

- (2) Hollow Metal Doors
- (2) CHS 83 HDI x 1/2 surface cont hinges
- (6) 3-4.5 hinge fillers x FF-45 x primed
- (1) AX XP 99NL x 990NL x CD x 626
- (1) AX XP 99EO x 990NL x CD x 626
- (1) LFIC Rim x 626 / (3) LFIC Mortise x 626-"C" Keyway
- (1) KR4954 x 7'6" x blank mullions
- (1) 154 x stabilizers
- (2) PR 7500 x 689
- 2) 10" x 35" x 32D - stainless steel kickplates
- (2) 18100 CNB x 36" x brush sweeps
- (2) 18061 CNB x 83" x brush meeting astragals
- (1) S88-20D - frames seal
- (1) 1/4" x 6" x 1/4" x 72" – Threshold

(see attached product sheets)

- (2) 307 AV x 36" x brush sweeps
- (2) 303AV x 83" x brush meeting astragals

Attachment to Addendum No.1

Thomas Jefferson-Wrestling Room

- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive
- (1) existing pair frames new doors - (1) 36" x 84" x 1 3/4" x flush x welded vertical edges
- seamless x cap top x 18 ga x steel stiffened x 1/2 surface continuous geared hinge
reinforcements x Rim/ Trim preps x closer reinforcements-inactive

- (2) Hollow Metal Doors
- (2) CHS 83 HDI x 1/2 surface cont hinges
- (6) 3-4.5 hinge fillers x FF-45 x primed
- (1) AX XP 99NL x 990NL x CD x 626
- (1) AX XP 99EO x 990NL x CD x 626
- (1) LFIC Rim x 626 / (3) LFIC Mortise x 626-"C" Keyway
- (1) KR4954 x 7'6" x blank mullions
- (1) 154 x stabilizers
- (2) PR 7500 x 689
- 2) 10" x 35" x 32D - stainless steel kickplates
- (2) 18100 CNB x 36" x brush sweeps
- (2) 18061 CNB x 83" x brush meeting astragals
- (1) S88-20D - frames seal
- (1) 1/4" x 6" x 1/4" x 72" – Threshold

(see attached product sheets)

- (2) 307 AV x 36" x brush sweeps
- (2) 303AV x 83" x brush meeting astragals

Architectural Door Accessories

ASSA ABLOY

Pemko Door Bottoms:
Door Bottom Sweeps

The global leader in
door opening solutions

307_V



AVAILABLE FINISHES: A, BDG, D, G, PW, SN


WIDTH: 1/4" (6.4 mm)

PROFILE HEIGHT: 7/8" (22.2 mm)

INSERT HEIGHT: 1" (25.4 mm)

TOTAL HEIGHT: 1-7/8" (47.6 mm)

- A (Mill Finish Aluminum)
- BDG (Bright Dip Gold Anodized Aluminum)
- D (Dark Bronze Anodized Aluminum)
- G (Gold Anodized Aluminum)
- PW (Painted White Aluminum)
- SN (Satin Nickel Anodized Aluminum)



TITLE:	
PREPARED FOR:	
PREPARED BY:	
DATE:	
COMMENTS:	