



# Madera Unified School District

1902 Howard Road, Madera, CA 93637  
559.675.4500  
Fax: 559.675.1186  
[www.madera.k12.ca.us](http://www.madera.k12.ca.us)

March 22, 2024

Addendum No.1 Bid No.031224-Door Replacement Projects

**NOTICE TO ALL VENDORS:**

This addendum is attached to and made a part of the above-entitled specifications for Madera Unified School District for Bid No. 031224-Door Replacement Projects, with a Bid Turn in date of March 26, 2024 @ 10:00:00 a.m.

All changes and/or clarifications will appear in bold type and deletions will be struck out within a sentence.

**Clarification/Questions:**

**See attached**

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Yusuf Ali  
Superintendent

Lucy Salazar, President

Ruben Mendoza, Clerk  
Nadeem Ahmad

Israel Cortes  
Gladys A. Diebert

Joetta Fleak  
Ray G. Seibert

## Howard School

### Office Door

- Hollow metal door
- Pemko continuous hinge CFM83hd1
- Vision Lite 24x24 **24"x32"**
- ND94PD RHO 626 (IC)
- E-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

### Room 1-8

- Hollow metal door
- ND94PD RHO 626 (IC)
- E-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Classroom 1-8 transom light above the door.**
- **Weather Stripping Pemko 303ab**

### TK-Classroom

- Hollow metal door
- Vision Lite 6"x27" **8"x32"**
- ND94PD RHO 626 (IC)
- E-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of the door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

### Multi-purpose East Door

Attachment to Addendum No.1

- Double hollow metal door
- Pemko continuous hinge CFM83hd1
- Vision Lite ~~6"x27"~~ **8"x32"**
- AX XP 99NL x 990NL x CD x 626
- LFIC Rim x 626 / (2) LFIC Mortise x 626
- E-Keyway interchangeable core (IC)
- KR4954 Mullion
- Mullion holder **MT 54**
- Flush bolt (IVES)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

Multi-purpose South Door

- Hollow metal door
- Pemko continuous hinge CFM83hd1
- Vision Lite ~~6"x27"~~ **8"x32"**
- AX XP 99NL x 990NL x CD x 626
- LFIC Rim x 626 / (2) LFIC Mortise x 626
- E-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

Multi-purpose North Door

- Hollow metal door
- Pemko continuous hinge CFM83hd1
- Vision Lite ~~6"x27"~~ **8"x32"**
- AX XP 99NL x 990NL x CD x 626
- LFIC Rim x 626 / (2) LFIC Mortise x 626
- E-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep

- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

## John Adams

### Multi-purpose North Door

- Double hollow metal door
- Pemko continuous hinge CFM83hd1
- AX XP 99NL x 990NL x CD x 626
- LFIC Rim x 626 / (2) LFIC Mortise x 626
- C-Keyway interchangeable core (IC)
- KR4954 Mullion
- Mullion holder **MT 54**
- Flush bolt (IVES)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

### Multi-purpose West Door

- Double hollow metal door
- Pemko continuous hinge CFM83hd1
- AX XP 99NL x 990NL x CD x 626
- (2) LFIC Rim x 626 / (3) LFIC Mortise x 626
- C-Keyway interchangeable core (IC)
- KR4954 Mullion
- Mullion holder **MT 54**
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

### Multi-purpose East Door

## Attachment to Addendum No.1

- Hollow metal door
- Pemko continuous hinge CFM83hd1
- AX XP 99NL x 990NL x CD x 626
- LFIC Rim x 626 / (1) LFIC Mortise x 626
- C-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

### Multi-purpose South Door

- Hollow metal door
- Pemko continuous hinge CFM83hd1
- AX XP 99NL x 990NL x CD x 626
- LFIC Rim x 626 / (1) LFIC Mortise x 626
- C-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

### Kitchen Door

- Hollow metal door
- ND53RD RHO 626 (IC)
- C-Keyway interchangeable core (IC)
- Norton 7500 door closer
- Stainless Steel kickplate (inside of the door)
- 18100 CNB brush sweep
- Threshold (NGP) aluminum finish
- Doorstop aluminum finish
- **Weather Stripping Pemko 303ab**

### **JOB Walk Notes/Clarifications/Questions**

- Prime and two coats of paint on all doors and jamb/trim.
- Pittsburgh Paints. PPG Pitt-Tech (DTM) (or EQUAL) trim/doors color TBD
- Pittsburgh Paints Metal Primer (or EQUAL) to be painted on all metal surfaces.
- Remove existing and furnish and install new hollow metal doors/frames (punch & dimple).
- Leave surface-mounted alarm wires accessible (do not cut)
- Duplicate existing internal alarm wires to the new installation (do not cut)
- Save lever sets and panic devices

### Contractor Questions

The scope of work states that the HM doors on this project will be 18GA, which assumes the HM Frames to be 16GA. The given specifications state that the HM Doors will be 14GA and the HM Frames will be 12GA. Please clarify. **18 gage doors with 16 gage frames**