

OR EQUAL

VKWO36-B

36" Versa-Kool Wall Mount Oscillating Fan



Air Velocity (@ 5 times diameter):

810

BESS Lab Performance Test No. :

13213

Gray

Blade Color : Blade Material :

Galvanized Steel

Brand:

.

Schaefer

CFM (free air):

11690

CFM Calculation Standard :

ANSI/AMCA Standard 230-99

CFM Range (Free Air) :

11 - 12

erm mange (rice my).

10001 - 15000

CFM/Watt (free Air):

25.1

CFM/Watt Range (free air) :

25.1 - 30

Cord:

Included - Not Wired

Cord Length (feet):

5

Country of Origin :

US

Description :

Fan Circulation 36" Versa-Kool Wall

Mount OSC Black

Diameter (inches) :

36

Drive Type :

Direct

Fixed or Portable :

Fixed

Frequency (Hz):

60

Guard Color:

Guard Material & Coating:

Guard Spacing (inches):

Housing Color:

Housing Material :

. . .

Nameplate Amps :

Number of Wings :

Oscillating :

Phase :

· mase .

Power (hp):

Product Color:

Product Weight (pounds) :

Speed Control Compatible :

Speeds:

Switch:

VFD Compatible :

Voltage :

Black

Powder Coated Steel

1/2 - 1 UL507

Black

DIACK

Polyethylene

7/3.5

3

Yes

1

1/2

Black

130

No

1

Not included

No

115/230

PFSR2522 Series

Stainless Steel Sinks **Bealeton Series**



OR EQUAL

Product Features

- Stainless steel single bowl sink
- Self-rimming
- Sink clips included for countertops up to 34" thick
- · Available with single hole, 3 or 4 faucet holes
- · 20 or 22 gauge
- Overall size 25" x 22"

- Bowl size 21-1/4" x 15-3/4"
- Bowl depth 6-1/8" or 7-1/8"
- · Drain diameter 3-1/2"
- · Minimum cabinet size 30"
- · Under spray coating and pads for sound deadening and insulation



PFSR252274

Model Numbers

PFSR252263	25" x 22" 3H 6.0 22 GA 1B SS SINK ADA compliant
PFSR252264	25" x 22" 4H 6.0 22 GA 1B SS SINK ADA compliant
PFSR252271	25" x 22" 3H 6.0 22 GA 1B SS SINK
PFSR252273	25" x 22" 3H 7.0 20 GA 1B SS SINK

MODEL

Depth "A"

Inches

MM

25" x 22" 4H 7.0 20 GA 1B SS SINK

PFSR25226

PFSR252274

6-1/8"

154 mm

PFSR25227

7-1/8"

179 mm

Available Parts

PFCLIP

Box of 10 clips for self rimming sinks for

countertops up to 1-1/2" thick

Warranty and Codes

PROFLO stainless steel sinks carry a 2-year limited warranty. In an effort to continually improve our products, we will make design changes from time to time. We reserve the right to ship newly designed product to fill any order unless it is agreed in writing to do otherwise.

Sink complies with ASME A112.19.3-2008 CSA B45.4-08.






PFSR2522 Series


Stainless Steel Sinks Bealeton Series



Product Specifications



OR EQUAL



 * All measurements are nominal. Please verify before actual installation.





#FERGUSON®

OR EQUAL

Home > Kitchen Plumbing > Kitchen & Bar Faucets > Kitchen Faucets > Chicago Faucet 2-Hole Hot And Cold Water Sink Faucet With Double Wristblade Handle And Spout Height

Chicago Faucet 2-Hole Hot and Cold Water Sink Faucet with Double Wristblade Handle and Spout Height in Polished Chrome

C1100GN8AE35317AB



DESCRIPTION

- 1.5 GPM (5.7 L/min) Pressure Compensating Softflo Aerator
- GN8A 8" c-c rigid/swing gooseneck spout

SPECIFICATIONS

ADA Compliant

Yes

ANSI Specifications

ANSI 372, ANSI 61,

ANSI A117.1

ASME

Specifications

ASME A112.18.1

Application

Commercial

CARB OTC LEED

Compliant

No

CEC Compliant

For Sale in CA

CSA Certified

CSA B125.1

Cartridge Type

Quaturn Compression

Center Size

8 in

Color Finish

Polished Chrome

Color Finish

Category

Chromes

Faucet Connection

NPSM

Faucet Connection

1/2 in

Size

....

Faucet Installation

2 Hole

Faucet Mount

Deck Mount

Flow Rate

1.5 gpm

GSA Approved

No

Handle Type

Wristblade

IAPMO Listed

No

SPECIFICATIONS

Lead Law Compliant

Yes

Material

Metal

NSF Certified

Yes

NSF Specifications

NSF 372, NSF 61-9

Number of Handles

Two Handle

Side Spray

No

Spout Height

8 in

Spout Reach

8 in

Spout Type

Gooseneck

Trim Only

No

WaterSense Labeled

No

www.ferguson.com

LEAD LAW WARNING: It is illegal to install products that are not "lead free" in accordance with US Federal or other applicable law in potable water systems anticipated for human consumption. Buyer is solely responsible for product selection.